


UNILOCK

presentanova®







SYSTEM

The UniLock system consists of a simple acrylic shelf with lockable eyewear holders. A patented locking mechanism inside the shelf allows simultaneous locking of all eyewear holders.

The shelf is available in standard predefined sizes but can be adjusted to fit your existing shelves.

It offers easy installation on any surface.

The shelf is also available as part of our wall displays, where it can be equipped with integrated LED lighting and additional double rear storage space.

SYSTEM

PATENT APP

EP Nr.: 17 190 213.3

EP Application Date: September 8, 2017

US 2019/0075944 A1

Application Date: March 14, 2019



MAGNETIC FIELD

The position of the magnetic field on the shelf varies depending on the number of eyewear holders.

Matte white acrylic.

LOCKABLE EYEWEAR HOLDER

White polycarbonate base.
Metal alloy hook with optional white coating available upon request.

MAGNETIC-CODED KEY

Made of black acrylic.



BUTTON

White button controls locking/unlocking of the eyewear holders.

SHELF

8 mm white acrylic (available in glossy or matte finish).


Incorporates a concealed magnetic coded locking mechanism inside.

Glossy Matte



SHELF


The positions of the lockable eyewear holders on the shelves are strictly defined by the locking system and the standard dimensions of the glasses; they cannot be modified.



The incredibly thin UniLock shelf (8 mm), made of white acrylic, features a patented magnetic code locking mechanism.

This mechanism simultaneously locks and unlocks all eyewear holders on a single shelf.


The minimum number of eyewear holders per shelf is 2, and the maximum is 7. For additional eyewear holders, we recommend combining multiple shelves.




FRAME HOLDERS

The eyewear holders are an integral part of the shelf and cannot be sold separately or added afterwards.


STANDARD



X SIZE



EXTENDED




We offer two types of lockable eyewear holders:

Standard
Extended - with an adapter for larger glasses.


It is possible to combine both types of holders on one shelf (upon request).

STANDARD SHELF SIZES


UL.S.2




UL.S.3




UL.S.4




UL.S.5



UL.S.6



UL.S.7



WITH STANDARD FRAME HOLDERS

386x187x8 mm	2 ∞	UL.S.2
636x187x8 mm	3 ∞	UL.S.3
836x187x8 mm	4 ∞	UL.S.4
900x187x8 mm	5 ∞	UL.S.5
1080x187x8 mm	6 ∞	UL.S.6
1260x187x8 mm	7 ∞	UL.S.7

WITH EXTENDED FRAME HOLDERS

386x187x8 mm	2 ∞	UL.EX.S.2
636x187x8 mm	3 ∞	UL.EX.S.3
836x187x8 mm	4 ∞	UL.EX.S.4
900x187x8 mm	5 ∞	UL.EX.S.5
1080x187x8 mm	6 ∞	UL.EX.S.6
1260x187x8 mm	7 ∞	UL.EX.S.7

CUSTOM SHELF

Send us the dimensions of your existing shelf. We will manufacture a custom UniLock shelf to fit perfectly.

The shelf size is determined by the number of eyewear holders, to which we then add or subtract width or depth to fit your existing or desired shelves.

IMPORTANT

UniLock shelves are always 1 mm shorter in width and depth compared to the dimensions you provide us, to avoid uneven edges with existing shelves.

UNLOCKING / LOCKING


UNLOCKING



Place the magnetic key on the magnetic field. You have now activated the magnetic-coded locking mechanism.

Press the white button to unlock the eyewear holders. All holders on a shelf will open simultaneously.

LOCKING



Remove the magnetic key from the magnetic field.

Press the white button. All holders will lock automatically.

MAGNETIC KEY

The magnetic-coded key is specially developed and designed for our UniLock shelves. It allows simultaneous unlocking/locking of all eyewear holders on a shelf.

This key is universal for all our UniLock shelves and is sold separately. We recommend purchasing at least two.


Made of black acrylic, it can be customized with your company logo upon request.

A.UL.MK



INSTALLATION

UNPACKING AND PREPARATION




Unpack the shelf and remove the magnetic field protection.

IMPORTANT:
Prepare the installation surface thoroughly; it must be dry and clean.

Before mounting the shelf, we recommend positioning it at the desired location to ensure proper alignment and fit.

MOUNTING



Locate the double-sided adhesive tape at the bottom of the shelf and peel off the protective film.

Press the shelf firmly onto the designated surface using the double-sided adhesive tape.

Once properly installed, it will securely adhere to the existing shelf.

MOUNTING SURFACE

MATERIAL



The shelf can be mounted on all types of materials, including acrylic, wood, glass, metal sheet, etc.

REPLACEMENT



To remove the shelf, carefully cut the double-sided adhesive tape underneath using a scalpel. When replacing or reinstalling it, make sure to thoroughly clean off any remaining adhesive residue, wipe down the shelf, and apply a fresh strip of adhesive tape for secure attachment.



Artisan du regard

MICHEL FORESTIER OPTIC



UNILOCK DISPLAYS

1



2



1. Standard UniLock displays. Each shelf is equipped with a magnetic key. The magnetic key simultaneously opens and closes all eye-wear holders on a shelf. White LED lighting is integrated into each shelf. A magnetic code key is included in the price.

Dimensions: 900x1500x280 mm

7 shelves / 35 ∅ WS.ULE.7.90

10 shelves / 50 ∅ WS.ULE.10.90

Widths of 700 mm and 450 mm are also available.

2

Dual back storage for wall panels. Available with or without locking and LED lighting. Contact us for more information.

ACCESSORIES FOR UNILOCK DISPLAYS

3




4



5



6



3

Acrylic logo holder with easily replaceable Insert.

A.UL.LH1 130x60 mm

4

Sliding advertisement with custom print.

A.UL.AP 385x438 mm

5

Decorative sliding frame with interchangeable magnetic logo holder.

A.UL.DF1 205x438 mm

A.UL.DF2 385x438 mm

Magnetic interchangeable logo strip.

A.UL.DFM1 205 mm

A.UL.DFM2 385 mm

6

Sliding mirror with decorative frame.

A.UL.M 205x438 mm

presentanova[®]

HQ & PRODUCTION
Presenta Nova d.o.o.
Puzeva 7
HR-10020 Zagreb
+385 1 6524 048
info@presenta-nova.hr
www.presenta-nova.com

